


AIRMATIC®

WE'LL HANDLE IT.



VIBRATORY COMPACTION TABLES

**Condenses, Settles, De-Airs & Packs Bulk Materials,
Molded & Cast Products**

AIRMATIC

284 Three Tun Rd. Malvern, PA 19355

215.333.5600

infocenter@airmatic.com

airmatic.com

VIBRATORY COMPACTION TABLES

Condenses, Settles, De-Airs & Packs Bulk Materials, Molded & Cast Products



Vibratory Tables from The Cleveland Vibrator Company handle tough material challenges of condensing, settling, densifying, de-airing and packing. Designed to improve your current operations, our multiple models provide options to fit your needs in production, filling and packing and weighing. The use of low-maintenance, continuous duty rated vibrators ensures long and low-cost equipment life span. The flexibility in design options ensures that you get the right solution for your specific material and application.

BENEFITS INCLUDE

- Cut container costs by as much as 20% by fitting more material in every box, drum, bulk bag or Gaylord.
- Cut material loss in transit by compacting and stabilizing materials prior to shipment.
- Decrease shipping cost by fitting more material per shipment.
- Improve structural and surface quality of precast products by quick consolidation of material to eliminate voids and air bubbles.
- Reduce processing, packing time and labor.

PRODUCT OVERVIEW

CONTAINER COSTS

Typically, bulk material will compact down by 20% of its aerated state. Materials that normally fill five containers can be reduced to only four, saving on container and storage costs.

LOSS & SPILLAGE

Materials shipped or stored in an aerated state will eventually compact due to gravity or vibration in transit. The result is dead space in the container. Compacting the material beforehand prevents container breakage, product loss or contamination.

SAVE TIME & MONEY!

FREIGHT COSTS

When shipping on a cubic foot basis, vibratory compaction provides full utilization of container capacity. This allows for more product to be shipped in the same amount of space, saving you and your customers money.



TABLES, PACKERS & BELT SYSTEMS

The Cleveland Vibrator Company offers a wide range of light, medium and heavy-duty vibratory tables and packers for settling and compacting bulk materials.

Production line systems incorporating vibratory equipment can provide:

- Fully automated fill stations
- Accurate container weights
- Containers filled, weighed and closed in less time than manual installations
- Maximum compaction typically reached within 10-30 seconds

APPLICATIONS INCLUDE

- Consolidation of Concrete
- Foundry Shake-Out
- Plastic Pellet & Resin Compaction
- Weigh & Fill Systems
- Foundry Sand Compaction
- In-Line Belt Conveyor Systems
- Chemical Compaction
- Frozen Food Compaction
- Portable Storage Bin Compaction
- Fatigue Testing

DESIGNED FOR YOU, YOUR MATERIAL AND YOUR PROCESS

DESIGN EXPERIENCE

The Cleveland Vibrator Team has over 60 years of collective experience sizing and designing vibratory tables for 100's of materials and applications. So, you know you will get the right force, frequency, amplitude and custom options to make your project successful.

IN-HOUSE TESTING

Cleveland Vibrator's in house testing lab includes an MBIS Vibration Table with independent variable frequency and variable amplitude controls to allow determination of optimal vibration conditions for any material AND prediction of compaction rates and process outcomes.

QUALITY COMPONENTS

Uras or Cleveland Vibrator Motors, Yaskawa Controls, Firestone isolation mounts, Mettler-Toledo weigh modules, to name a few. We use only the best brands of components, recognized for quality and continuous duty.

BUILD SOLID FOR LONG LASTING CONSISTENCY

EVEN VIBRATION TRANSFER

Take a look under the hood...or the tabletop in this case. You won't just see two vibrators mounted to the underside of the table top. Our table designs use a heavy duty undercarriage to hold heavy loads and to evenly distribute vibration to the entire top making sure that materials are de-aired or packed evenly.

LARGE LOADS? NO PROBLEM


Cleveland Vibrator has experience designing and building tables to vibrate loads in excess of 20,000 lbs.

SIMPLE

Our tables are designed and built with minimal wear parts to make maintenance an infrequent and easy task.

LINEAR VIBRATION

Sure, using one motor would cost less. But, 99% of compaction applications perform best with linear vibration, in line with gravitational forces, that are ONLY achieved with two electrically synchronized vibrator motors, using the Dual Motor Principle. (Refer to the diagram to the right.)



HIGH QUALITY, LOW MAINTENANCE

BUILT IN DAMAGE PREVENTION

Avoid operator error by preventing costly mistakes. Our tables include automatic mechanisms to prevent damaging situations such as operation when the table is not isolated, erratic coasting to a stop and changes in table height during loading.



BT
Series



FA Series


MODEL	DECK WIDTH	DECK LENGTH	DECK HEIGHT	NORMAL LOAD CAPACITY
FA - 2424	24"	24"	24"	300 - 1,000 lbs.
FA - 3030	30"	30"	24"	300 - 2,000 lbs.
FA - 3636	36"	36"	24"	500 - 2,000 lbs.
FA - 3636HD	36"	36"	30"	2,000 - 4,000 lbs.
FA - 4848	48"	48"	24"	500 - 2,000 lbs.
FA - 4848HD	48"	48"	30"	2,000 - 4,000 lbs.

The Cleveland Vibrator Company's Model FA Flat Deck Vibratory Table is the most widely used of our products, and is available in both standard and low-profile configurations. Designs accommodating over 10,000 Lbs. are available. Model FA is typically used to settle material in cartons, drums, kegs, boxes and bags or for removing air from poured concrete and refractories. Model FA features inflatable airbag or **Marsh Mellow Mount** isolation, providing quiet operation, superior isolation and adjustable table height. Controls for vibration intensity are included with air powered models. Controller options for controlling force and frequency available.

CUSTOMIZE YOUR FLAT DECK SURFACE WITH THE FOLLOWING OPTIONS:



Custom Fixtures for Tall Canisters or Saggars, Removable Surface Option



Ball Transfer Decks for Roll On/Roll Off Trans



Strap Down Fixtures for Securing Molds while Settling Castable Refractories



Magnetic Tops for Securing Molds



Perimeter Lips for Passively Restraining Containers During Compaction

FA-0 • LOW PROFILE FLAT DECK TABLES

MODEL	DECK WIDTH	DECK LENGTH	DECK HEIGHT	NORMAL LOAD CAPACITY
FA - 2424	24"	24"	7"	300 - 1,000 lbs.
FA - 3030	30"	30"	7"	300 - 2,000 lbs.
FA - 3636	36"	36"	7"	500 - 2,000 lbs.
FA - 3636HD	36"	36"	10"	2,000 - 4,000 lbs.
FA - 4848	48"	48"	7"	500 - 2,000 lbs.
FA - 4848HD	48"	48"	14"	2,000 - 4,000 lbs.



FA-O Series

The Model FA-O Low Profile Flat Deck Vibratory Table comes equipped with twin outward Rotary Electric Drives and airbag isolation air mounts or Marsh Mellow Mount®. Coil springs also available. Models are fully customizable and are ideal for compacting containers of plastic pellets, chemicals, frozen foods, peanuts and automotive parts.

GRID TOP VIBRATORY TABLES

The Cleveland Vibrator Company's GT Grid Top Vibratory Table is ideal for automatic and semi-automatic packaging and filling lines that use roller conveyor systems. The table is installed at the filling or compaction station of an in-line conveyor system. GT Grid Top Tables are available in standard, low profile or custom configurations.



GT Series


GT • GRID TOP TABLE

MODEL	DECK WIDTH	DECK LENGTH	DECK HEIGHT	NORMAL LOAD CAPACITY
GT - 2326	23"	26"	20½"	300 - 1,000 lbs.
GT - 2338	23"	38"	20½"	300 - 1,000 lbs.
GT - 2950	29"	50"	22½"	300 - 4,000 lbs.
GT - 3550	35"	50"	22½"	1,000 - 4,000 lbs.
GT - 4750	47"	50"	22½"	1,000 - 4,000 lbs.

GT Grid Top Tables can fit with 3 different types of roller sections:


- CDLR Chain Driven Live Roller
- Strand Conveyors
- Gravity Rollers

The load is first rolled into position over the vibrating station. Air mounts lift the load above the rollers then vibration is applied. After the vibration sequence, the load is lowered back onto rollers for evacuation and now ready for the process to be repeated on the next container. See diagram below:



GTO • LOW PROFILE GRID TOP TABLE

MODEL	DECK WIDTH	DECK LENGTH	DECK HEIGHT	NORMAL LOAD CAPACITY
GT-O - 2326	23"	26"	13½"	500 - 1,000 lbs.
GT-O - 2338	23"	38"	13½"	500 - 1,000 lbs.
GT-O - 2950	29"	50"	15½"	1,000 - 2,000 lbs.
GT-O - 3550	35"	50"	15½"	1,000 - 2,000 lbs.
GT-O - 4750	47"	50"	15½"	1,000 - 4,000 lbs.



GT-O Series

Common Applications include:

- Settling materials in cartons, drums, kegs and bags before package sealing and shipping
- Removal of air and voids from poured concrete, refractories and other castable materials
- Test product quality and fatigue

VIBRATORY PACKERS & JOGGERS

The Cleveland Vibrator Company's VJ Electromagnetic Vibratory Jogger is ideal for filling small moulds in the plastic and fuse industries. It has also been used in the chocolate and candy industry. This rugged unit comes with a HDPE (High Density Polyethylene) deck and built-in controls.



VJ Series

VJ • LIGHT DUTY JOGGER PACKERS

MODEL	DECK WIDTH	DECK LENGTH	DECK HEIGHT	NORMAL LOAD CAPACITY
VJ - 1212	12"	12"	6 ¾"	75 lbs.
VJ - 1515	15"	15"	7"	85 lbs.



VP Series

The Cleveland Vibrator Company's VP Light Duty Table is commonly used for compacting coffee, pharmaceuticals, or other powdered products in small containers such as bottle, cans or bags. Force and frequency of Air Powered Models are adjustable by air pressure regulation, while electric tables are adjustable by mechanical means or an optional (VFC) Variable Frequency Controller.

Other available features include:

- Plastic Tops
- Supporting Fixture for Containers
- Stainless Steel Construction

VP • LIGHT DUTY JOGGER PACKERS

MODEL	DECK WIDTH	DECK LENGTH	DECK HEIGHT	NORMAL LOAD CAPACITY
VP - 4	12"	12"	12 ⁷ / ₁₆ "	50 - 75 lbs.
VP - 6	18"	18"	14"	100 - 150 lbs.
VP - 8	24"	24"	15 ¹ / ₈ "	100 - 250 lbs.


The Cleveland Vibrator Company's Drum Packer Model eliminates dead space in large drums before shipping, reducing container costs. Common applications include compacting granules, powders, pellets, molded or stamped rubber, plastics and steel parts.

It's rugged yet compact design takes up less than 6 square feet of floor space and is rated for continuous duty. Air Powered and Electric Powered options available.


The electric powered model's quiet operation meets OSHA requirements and is supplied with a VFD controller for adjustment of vibration force and frequency. Explosion proof pneumatic drum packers are available.



Drum Packer



**FWT
Series**



**WGT
Series**

WEIGH SCALE PACKERS

The Cleveland Vibrator Company's Weigh Scale Packer Model is available in both FWT Flat Deck and WGT Grid Top design. Weigh Scale Packers allow for filling, weighing, and vibration of bulk containers. Tables can be fitted with digital scale instruments that incorporate set points to control the start and stop of the fill device, as well as the vibration sequence. Weigh Scales are available in a variety of deck options to meet any requirements.

Additional features such as gross weight readout, analog signal, and set points for automatic or semi-automatic operation are also available. The Cleveland Vibrator Company can also provide complete systems including fill devices and conveyors.

BENEFITS INCLUDE:


- Reduction of costs in packaging
- Improved accuracy for container weight
- Improved integrity of package resilience due to product densification
- Reduction of product loss due to spillage in transit
- Digital scales can weigh and control vibration automatically
- Reduction of manual efforts
- Increased quality and consistency in molded and settled product
- Elimination of broken product and/or broken package rejections

SHAKE-OUT TABLES

The Cleveland Vibrator Company's Shake-Out Table can handle loads of up to 12,000 pounds depending on deck size.

The Shake-Out Table has a simple, low maintenance design with no exposed moving parts and trouble-free Marsh Mellow Mounts® isolation. The vibrator bearings come pre-lubricated. The unit's open bottom construction allows sand to pass through unobstructed.

Shake-Out Tables feature a low profile design and quiet operation, with no noise generated from the steel isolation springs, belts, pulleys, or vibrating crank arms of other designs. Units with UHMW side liner deflectors are available.




VIBRATORY BELT TABLE CONVEYOR

The Cleveland Vibrator Company's Model BT Vibratory Belt Table Conveyor cuts packaging and handling costs for a wide range of materials packed in corrugated containers and small drums.

The Belt Table Conveyor is designed to simultaneously settle product within its container while transporting the container to a closing and sealing machine. Linear vibration aids in settling the material in its container before the container is closed.

The BT Belt Table Conveyor will also flatten bags prior to palletizing, without damaging the bags. There is no pinching, just a gentle vibration to naturally flatten the bags without degradation of contents.



LIVE BEAM TABLES

A senior member of the Cleveland Vibrator Table Family, the Live Beam Table is designed and built primarily for the consolidation of concrete or castable materials in large forms and moulds.

Ideally suited for pre-stressed concrete forms, the beams can be spaced apart as much as 10 to 15 feet for handling long and narrow, yet extremely heavy loads. Each beam is mounted on a series of heavy duty rubber-in-compression mounts for stability and vibration isolation. Vibratory energy is imparted by two Rotary Electric Vibrators (RE Model), which are totally enclosed, dust tight and rated for continuous duty. Each vibrator is fully adjustable by varying the eccentric weight settings.



THE CLEVELAND VIBRATOR COMPANY OFFERS A FULL RANGE OF FABRICATED VIBRATORY EQUIPMENT SUITABLE FOR ANY SIZE JOB. All equipment is fully customizable and can be incorporated into automated or semi-automated production lines. Vibratory Equipment can ensure less waste of space and materials, faster production times, and more thorough feeding and screening.

VIBRATORY SCREENING




Model EMBS Electromechanical Screener with Ball Tray Deck
Relieve screen deck plugging and clogging while saving costs of maintenance and provides high efficiency in your screening process.



Model PSC-E Portable Slope Deck Screener
Offers a customizable screening option with lightweight portability for use across multiple applications dealing with fine bulk materials.



Model RSM Volumetric Screener
The all in one unit enables production efficiencies for easily dumping material from an inexact process and getting a controlled and uniform product outcome.



Model SF-A Air Powered Screener Primarily used in applications where simple, economical control of the feed rate is desirable. Also, these screeners are recommended for hazardous-duty areas.

VIBRATORY SCREENERS

We offer multiple vibratory screener, scalper and sieve styles to handle separation and sizing of materials, or removal of unwanted materials from a batch, such as liquids, fines or oversized products. Pneumatic and Electric Powered Models Available.

- Volumetric Screeners
- Electromechanical Screeners
- Air Powered Screeners
- Gravity Flow Screeners
- Portable Sloped Screeners



Fine Mesh Screening Technologies, Inc.

Used for sizing, fines removal or liquid/solid separation, HK Technologies' Fine Mesh Screening Equipment can handle screening dry or wet materials from 5 micron to #10 mesh. Add Ultrasonics to achieve maximum throughput of materials and increase sieving rates while utilizing 100% of the screen surface.

- Ultrasonic Deblinding System
- Ultrasonic Screeners
- Fine Mesh Screening
- Laboratory Sieves

VIBRATORY TABLES

Handle tough material challenges of condensing, settling, densifying, de-airing and packing and built to fit your needs in production, filling and packing or weighing.

- Light-Duty Packers
- Flat Deck Tables
- Jogger Tables
- Shake-Out Tables
- Grid Top Tables
- Conveyor Systems
- Specialty Systems
- Weigh-Scale Packers




VIBRATORY FEEDERS

Typically used to feed raw materials or finished products into mixers, furnaces, production processes or final containers, Cleveland Vibrator's Vibratory Feeders are available in a wide variety of styles and finishes. Fully adjustable volumetric flow allows for automated or semi-automated production process or fill stations.

- Air Powered Feeders
- Electromechanical Feeders
- Volumetric Feeders
- Tube Feeders




Model EMF Electromechanical Feeder Utilizing twin (RE) Rotary Electric Vibrator Drives rated for continuous duty, feed your materials using the linear motion that provides smooth, uniform, volumetric flow that is fully adjustable. RE Models available in four speeds for medium to heavy-duty applications.



Model RFM Volumetric Feeder Compact and self-contained units that incorporate a vibratory bulk supply hopper and vibratory feeder enables controlled and reliable flow of bulk materials and parts ensuring efficient and low-cost dumping and feeding into production processes.



Model CF-A Air Powered Feeder Economical and effective, these feeders can meet the demands for feed rates up to 50 tons per hour in hazardous environments.



Model EMF-T Tube Feeder This model provides an enclosed tubular shaped feed tray that allows for materials to feed consistently and effectively without being exposed to external environmental factors.

HK Dual Drive Lab Shaker

Providing advanced ultrasonic sieving technology combined with electromechanical or electromagnetic vibration, this model virtually eliminates screen blinding or clogging during a sieve test analysis process.



HK-12 Laboratory Screener

This model is an effective tool for lab or pilot plants evaluating small powder batches of wet or dry materials. Screen sizes to 635 mesh (20 micron) available.



HK Twin Motor Sifter

The low-profile design allows minimum space consumption while offering high capacity wet or dry scalping. Unit provides a three dimensional motion for greater throughput of difficult to screen products.



HK Quik Siev Hand Sieve

High-speed, stainless steel Turbomite Model CVT-S-10 Turbine Vibrator produces over 20,000 VPM, ideal for rapid and consistent throughput even on fine mesh.



AIRMATIC®

WE'LL HANDLE IT.

AIRMATIC founded in 1944, is a woman-owned Industrial Distributor, with installation and maintenance capabilities, offering equipment, machinery, and shop supplies to the Industrial, Construction, Utility, Government, and Commercial Markets. Our products and services are sold through three business units:

The **MATERIALS MANAGEMENT GROUP** provides products and services to industries that convey, store, transport, and process powders and bulk solids from aggregates, cement, and chemicals to foods, grains, metals, power generation, and waste water treatment applications;

The **SERVICE GROUP** provides fabrication, installation, and maintenance services to improve bulk materials handling efficiency; mechanical clean-out services for silos and hoppers to eliminate material flow problems; and shop repair/rebuilding and modifications services of products sold by the Company.

The **TOOL GROUP** provides power tools, personal protective equipment, materials-handling equipment, shop equipment and MRO supplies used for production, fabrication, assembly, metal removal, maintenance, and storage in manufacturing, construction, utility, and commercial applications.

Our Customers tell us that by choosing AIRMATIC to solve their problems, they gain increased productivity, decreased costs, and a safer, cleaner work environment.



CLEVELAND VIBRATOR Founded in 1923, is the leader in the industrial vibrator and vibratory equipment field. The company offers one of the industry's most comprehensive and durable line of air-powered rotary and piston vibrators, rotary and electromagnetic electric vibrators, vibratory tables, feeders, conveyors and screeners for the foundry, pharmaceutical, concrete, sand and gravel, food, chemical, and plastic plants and facilities.

AIRMATIC

284 Three Tun Rd. Malvern, PA 19355
215.333.5600
infocenter@airmatic.com
airmatic.com