



FEATURES

Fashionable Baseball cap style

#### MARKETS

#### Warehouse and Logistics

- Manufacturing and Assembly lines
- Maintenance and Facilities Management
- Food and Beverage
- Retail and Stock Replenishment
- Automotive and Aerospace industries
  Utilities



# **CARE & MAINTENANCE**

#### Storage:

Can be stored and transported in their original cartons at ambient temperatures (0°C to + 30°C)

May be stored in the dark for up to 5 years. Do not store in direct/ high heat or sunlight as this may distort the shell

Lifetime:

The Centurion helmet has an in-use life of up to 5 years. Excessive wear and tear can considerably reduce

the lifespan of the product.

Cleaning:

Cap cover: Wash at 30°C. Do not bleach, Iron, Tumble Dry or Dry Clean. Cap Shell and Central Pad: To clean the inner shell wipe with clean cloth and warm water.

#### Disposal:

Recycling is preferred when possible. Look out for the recycling symbol for material category.

TECHNICAL DATASHEET

# COOLCAP BASEBALL BUMP CAP

### S28\*

The CoolCap Baseball Bump Cap protects against minor bumps and scrapes to the head whilst also doubling as a fashionable, comfortable piece of workwear.

CENTURION

# **SPECIFICATION**

|             | · · · · · · · · · · · · · · · · · · ·                  |
|-------------|--|
| Cap Options | Standard and Reduced Peak                              |
| Size        | 54-59cm  |
| Weight      | Standard Peak = 150gm<br>Reduced Peak = 145gm          |
| Packaging   | 20 per colour, box size 35 x 28 x 40cm, box weight 4kg |

## MATERIALS

| Shell     | BS (Acrylonitrile-Butadiene-Styrene)      |  |  |  |  |
|-----------|---|--|--|--|--|
| Cap Cover | Brushed Cotton                            |  |  |  |  |
| Pads      | Brushed Nylon fabric covered EVA Foam Pad |  |  |  |  |

#### ACCESSORIES

| Ventiliation Via large ventilation mesh sides panels |  |
|--|--|
| Adjustment   | VELCRO® brand fastener with tuck-in strap eyelet |

# SAFETY STANDARDS

| STANDARD                            | Standard Peak (S28*) | Reduced Peak (S28*RP) |  |  |  |
|-------------------------------------|----------------------|-----------------------|--|--|--|
| EN 812:2012                         |                      |                       |  |  |  |
| -30°C (Low Temperature)             | Х                    | Х                     |  |  |  |
| Options outside the scope of EN 812 |                      |                       |  |  |  |
| - 40ºC (Low Temperature)            | Х                    | Х                     |  |  |  |

# **PRODUCT CODES**

| Product Code | Description           |
|--------------|-----------------------|
| S28*         | Standard Bump Cap     |
| S28*RP       | Reduced Peak Bump Cap |

# **HELMET COLOURS**

| COLOUR  | $\bigcirc$   |                      |                       |            |              |              |                           |                           |
|---------|--------------|----------------------|-----------------------|------------|--------------|--------------|---------------------------|---------------------------|
|         | White<br>(W) | Navy<br>Blue<br>(NB) | Royal<br>Blue<br>(RB) | Red<br>(R) | Black<br>(K) | Green<br>(G) | Bright<br>Yellow<br>(HVY) | Bright<br>Orange<br>(HVO) |
| RAL     | 9010         | 5011                 | 5002                  | 3031       | 9017         | 6028         | 1016                      | 2005                      |
| PANTONE | White        | 296                  | 287                   | 200        | BLACK        | 554          | 387                       | 811                       |



AIRMATIC airmatic.com | 215.333.5600 | infocenter@airmatic.com